


OneTrack DALI

Accessories

MECHANICAL LOAD CAPACITY

The graphic shows the load capacity of the surface track with loads depending on the number of attachment or suspension points. The maximum load capacity per suspension point is 20 kg.



SURFACE TRACKS

7-conductor DALI surface track for three circuits, consisting of an extruded aluminium profile and two PVC supporting profiles, each with two embedded 2.5 mm² copper conductors, three separately switchable circuits, earth wire above the aluminium profile.

	1 m	2 m	3 m
■	77211012	77211022	77211032
■	77211013	77211023	77211033
□	77211016	77211026	77211036



STRAIGHT COUPLER

Electric, internal, order mechanical coupler separately for suspension by steel wire or pendant rod for structural reasons



- 77212062
- 77212068
- 77212066

I-COUPLER

With feeding option



- 77212082
- 77212088
- 77212086

L-COUPLER

With feeding option, earth wire outside



- 77212092
- 77212098
- 77212096

L-COUPLER

With feeding option, earth wire inside



- 77212102
- 77212108
- 77212106

OneTrack DALI

Accessories

T-COUPLER

With feeding option, earth wire inside, right



- 77212122
- 77212128
- 77212126

T-COUPLER

With feeding option, earth wire inside, left



- 77212132
- 77212138
- 77212136

With feeding option, earth wire outside, right



- 77212142
- 77212148
- 77212146

With feeding option, earth wire outside, left



- 77212152
- 77212158
- 77212156

FLEX-COUPLER

From 30° to 330° with feeding option



- 77212112
- 77212118
- 77212116

END CAP



- 77012172
- 77012178
- 77012176

END FEED

Earth wire, right



- 77212012
- 77212018
- 77212016

END FEED

Earth wire, left



- 77212022
- 77212028
- 77212026

OneTrack DALI

Accessories

SUSPENSION CLIPS


Short, including cable holder, galvanised



40000045

MECHANICAL COUPLER

Long, including cable holder, galvanised



40000044

STEEL CABLE SUSPENSION

Steel cable and ceiling attachment



3,00 m
40000039

6,20 m
40000040

10,00 m
40000041

MONOPOINT

Surface monopoint (DALI)



■ 77272282
■ 77272288
□ 77272286

Recess housing for monopoint



■ 77272272
■ 77272278
□ 77272276

Please order surface monopoint
needed separately.